

N200 HALOGEN

The Nordic N200 Halogen work lamp is a robust work light.

The work light is designed to surpass OEM standards for vibration, moisture and dust. Proven reliability from arctic to equator.



Not all products are available in all markets. During continuous improvement specifications and design are changing. All values are nominal values. Illustrations do not necessarily show the design of every version and some features are version specific. The lumens output varies depending on lens colour.

TECHNICAL DATA

Theoretical Lumens Output 12V, 24V	1450 lm 1750 lm	Connector	Built-in Deutsch DT-2 (2-pin), Pigtail Deutsch 2-pin, Grommet, Built-in AMP, Fly Leads
Operational Lumens Output 12V, 24V	1100 lm 1400 lm	Mount	Single Bolt M10, Single Bolt M8
Colour Temperature	3200 K	Lens	Hardened Glass
Nominal Voltage DC	12 V 24 V 36 V 48 V 80 V	Body / Housing	Glass Fibre Reinforced Polyamide
Input Voltage DC	8 - 16 V 16 - 32 V 28 - 44 V 33 - 68 V 56 - 110 V	Weight	0.6 kg
Bulb	H3	IP Rating	IP67 (not Grommet)
Power Consumption	12V: 55W, 24V HD Bulb: 65W, 24V: 70W	Salt Spray Test	ISO 9227 240H
Nominal Current at	12V=4.6A, 24V=2.7A, 36V=2.0A, 48V=1.4A, 80V=0.7A	Operating Temperatures	-40°C... +85°C

CONNECTORS




Pigtail Deutsch 2-pin



Built-in Deutsch DT-2 (2-pin)



Grommet



Fly Leads




Built-in AMP

KEY FEATURES


- Light weight
- Operational lumens output: 1400lm (24V)
- Vertical, Pendant or Side mount

LIGHT PATTERNS


**N200 Halogen
Wide Flood**




**N200 Halogen
Flood**



**N200 Halogen
High Beam**



**N200 Halogen
Low Beam**



DRAWINGS

