

N300 HALOGEN D

The Nordic N300 Halogen D work light is a solid, compact and slick work lamp featuring Heavy Duty Anti-Vibration Dampening.

The work light has a cut light pattern to prevent stray light upward. Designed to withstand extreme conditions whilst illuminating the work area.



Not all products are available in all markets. During continuous improvement specifications and design are changing. All values are nominal values. Illustrations do not necessarily show the design of every version and some features are version specific. The lumens output varies depending on lens colour.

TECHNICAL DATA

Theoretical Lumens Output 12V, 24V	1450 lm 1750 lm	Mount	Single Bolt M10, Single Bolt M8
Operational Lumens Output 12V, 24V	1100 lm 1400 lm	Shock	60G
Colour Temperature	3200 K	Vibration	8.57Grms 18-600Hz
Nominal Voltage DC	12 V 24 V 36 V 48 V 80 V	Lens	Hardened Glass
Input Voltage DC	8 - 16 V 16 - 32 V 28 - 44 V 33 - 68 V 56 - 110 V	Body / Housing	Glass Fibre Reinforced Polyamide
Bulb	H3	Weight	0.5 kg
Power Consumption	12V: 55W, 24V HD Bulb: 65W, 24V: 70W	IP Rating	IP67 (not Grommet)
Nominal Current at	12V=4.6A, 24V=2.7A, 36V=2.0A, 48V=1.4A, 80V=0.7A	Salt Spray Test	ISO 9227 240H
Connector	Built-in Deutsch DT-2 (2-pin), Pigtail Deutsch 2-pin, Grommet, Built-in AMP, Fly Leads	Operating Temperatures	-40°C... +85°C

CONNECTORS



Pigtail Deutsch 2-pin



Built-in Deutsch DT-2 (2-pin)



Grommet



Fly Leads




Built-in AMP

KEY FEATURES

- HD Dampening
- Operational lumens output: 1400lm (24V)
- Non-dazzling

LIGHT PATTERNS

N300 Halogen SP Wide Flood



DRAWINGS

